



Decorative Laminates

Creates Waves of Feeling!



Authorized exclusive sole distributor for United Arab Emirates
ANOOP SINGH BAHRA TRADING CO. LLC.
PO Box: 33081, Sharjah - United Arab Emirates
Te: +971 65346081 Fax: +971 65346083
Email: asb@emirates.net.ae.
asbtradinguae.com



Our Associate Companies



Timber Market FZC
P.O.Box No. 41804, Hamriyah Free Zone,
Sharjah, U.A.E.
www.timbermarketuae.com

ASB International FZE
P.O.Box No. 61169, Jebel Ali Free Zone,
Dubai, U.A.E.
www.asbinternational.com



Decorative Laminates



Introduction

Anoop Singh Bahra Trading Co. L.L.C based in UAE, is one of the leading distributors and whole seller of premium range of decorative laminates for both residential and commercial purpose. ASB's diverse business interest includes Vinyl Flooring, PVC Skirting, Edge Bending, Vinyl Adhesives, Cement Boards and Acrylic Sheets.


With Strength quality standards and excellent after sales service, over the year ASB is able to create a niche for themselves in the building material segment. Moreover possessing a dynamic team of qualified and experienced professionals, together with the state of art infrastructure facilities we have been able to make our presence seen and felt in the UAE markets. Our key to success is a combination of best service we offer and satisfaction of our clients. And the manufacturing sources that we are associated the world over are high ranking factories both in terms of quality standards and meeting product delivery schedules. ASB warehouse & Showroom is centrally located.

We constantly evaluate our performance levels and continue to strive for excellence. Another vital aspect of our operation is the vast range of choice and price we offer which best suits commercial and residential building, thereby boosting our capability to supply from the modest to the biggest projects. We sell quantity products to prefab house. Contracting companies, interior decorators, furniture industry, cabinet shops, display and store fixture companies, builders, wood workers, architectural mill work house etc.



ANTI FINGER MARKS

Décor paper used in anti finger print laminate is coated with a transparent acrylic resin which is electron beam cured.(EBC) This gives the laminate a superior surface which makes it anti finger print, scratch resistant, smug and smear free.



Best for




Kitchen



Dinning



Dressing



Office Desk



Anti-Bacterial




Anti-Scratch



Satin Smooth



Anti-Fingereprint



S-33501 SF White



S-33502 SF Satin White



S-33503 SF Pearl White



S-33587 SF Lapis Blue



S-33622 SF Red Flame



S-33711 SF Beaver



S-33512 SF Cream



S-33551 SF Silver



S-33559 SF Platinum



S-33555 SF Manhattan Grey





S-33646 SF Black

**BRUSHED
FINISH**



HIGH GLOSS



Premium Textures



A



S-30084 LMT

Balezza Oak

B



S-33214 OKZ

Santana Oak

1

A



S-33218 VR

Lorraine Walnut

2

B



S-35191 CNT

Natural Walnut



TEXTURE



A



S-30446 VNR

Scotia Oak

B



S-33221 VNR

Classic Planked Walnut

1



S-33012 VNR

Canyon Monument Oak

2




S-30456 VNR


Nash Oak Light

*Premium
Textures*

Premium



S-30704 PT Urban Concrete Light




S-30705 PT Urban Concrete Dark



S-33703 ST Cement Light



S-33704 ST Cement Dark



S-30459 ARW Spanish Wood



S-33225 NVZ Princess Wood



Textures

Wood Grains



S-30461 SF

Jungle Wood



S-35015 SF

Tekan Wood Light



S-35014 SF

Tekan Wood Dark



S-37015 SF

Nomada Walnut



S-37020 SF

Colorado Wood



S-34030 SF

Ice Teak



A

B

C



1

S-33288 SF Wild Walnut



S-30757 SF American Walnut



S-33221 SF Classic Planked Walnut



2

S-33218 SF Lorraine Walnut



S-30622 SF Indian Dark Brown



S-30457 SF Nash Oak Dark

WOODS



A

B



S-30446 SF

Scotia Oak



S-30535 SF

Smoke Oak Light

1



S-33224 SF

Turkish Oak



S-33213 SF

Golden Oak

2



S-33012 SF

Canyon Monument Oak




S-33018 SF

Baliness Oak


3





S-33366 SF

Dainty ELM



S-33367 SF

Mysterious ELM



S-35191 SF

Natural Walnut



S-33970 SF

Columbia Walnut





S-30459 SF

Spanish Wood



S-33225 SF

Princess Wood



S-30847 SF

Nayana Rose




S-33261 SF

Classic Wenge



S-35183 SF

Core Ash



S-33301 SF

Summer Ash



WOODS



A

B



S-33840 SF

German Oak

S-30233 SF

Burma Teak



S-33848 SF

Vintage Teak

S-33850 SF

Urban Teak

A

B

C



1

S-33205 SF Cherry rain

S-33365 SF Nice Wood Sheen

S-33360 SF Tawny Mahagony



2

S-33215 SF Fumed Oak

S-33355 SF Sapali Exotic

S-33151 SF Nayana Teak





A



S-30486 SF

White Marble

B



S-30487 SF

Grey Marble

1



S-30427 SF

Paladina Grey



S-30426 SF

Paladina Brown

2

Sr. No.	Item No.	Name	Finish	Location	Page No.	Sr. No.	Item No.	Name	Finish	Location	Page No.
1	S-30084	Balezza Oak	LMT	A-1	8	40	S-33355	Sapali Exotic	SF	B-2	19
2	S-30233	Burma Teak	SF	B-1	20	41	S-33360	Tawny Mahagony	SF	C-1	19
3	S-30426	Paladina Brown	SF	B-2	22	42	S-33365	Nice Wood Sheen	SF	B-1	19
4	S-30427	Paladina Grey	SF	A-2	22	43	S-33366	Dainty ELM	SF	A-1	17
5	S-30446	Scotia Oak	VNR	A-1	10	44	S-33367	Mysterious ELM	SF	B-1	17
6	S-30446	Scotia Oak	SF	A-1	16	45	S-33501	White	SF	D-1	4
7	S-30456	Nash Oak Light	VNR	B-2	10	46	S-33501	White	HGL	D-1	6
8	S-30457	Nash Oak Dark	SF	C-2	15	47	S-33502	Satin White	SF	D-2	4
9	S-30459	Spanish Wood	ARW	A-1	11	48	S-33502	Satin White	HGL	C-1	6
10	S-30459	Spanish Wood	SF	A-3	17	49	S-33503	Pearl White	SF	D-3	4
11	S-30461	Jungle Wood	SF	A-1	14	50	S-33503	Pearl White	HGL	D-2	6
12	S-30486	White Marble	SF	A-1	22	51	S-33512	Cream	SF	D-1	3
13	S-30487	Grey Marble	SF	B-1	22	52	S-33551	Silver	SF	A-4	4
14	S-30535	Smoke Oak Light	SF	B-1	16	53	S-33555	Manhattan Grey	SF	C-4	4
15	S-30622	Indian Dark Brown	SF	B-2	15	54	S-33559	Platinum	SF	B-4	4
16	S-30704	Urban Concrete Light	PT	A-1	12	55	S-33587	Lapis Blue	HGL	A-2	6
17	S-30705	Urban Concrete Dark	PT	B-1	12	56	S-33587	Lapis Blue	SF	A-1	3
18	S-30757	American Walnut	SF	B-1	15	57	S-33622	Red Flame	HGL	B-2	6
19	S-30847	Nayana Rose	SF	A-1	18	58	S-33622	Red Flame	SF	B-1	3
20	S-31005	Bronze Metal	SF	C-1	5	59	S-33646	Black	SF	D-4	4
21	S-33012	Canyon Monument Oak	VNR	A-2	10	60	S-33646	Black	HGL	C-2	6
22	S-33012	Canyon Monument Oak	SF	A-3	16	61	S-33703	Cement Light	ST	A-2	12
23	S-33018	Baliness Oak	SF	B-3	16	62	S-33704	Cement Dark	ST	B-2	12
24	S-33151	Nayana Teak	SF	C-2	19	63	S-33711	Beaver	SF	C-1	3
25	S-33205	Cherry rain	SF	A-1	19	64	S-33765	Torano Marble	HGL	A-1	6
26	S-33213	Golden Oak	SF	B-2	16	65	S-33840	German Oak	SF	A-1	20
27	S-33214	Santana Oak	OKZ	B-1	8	66	S-33848	Vintage Teak	SF	A-2	20
28	S-33215	Fumed Oak	SF	A-2	19	67	S-33850	Urban Teak	SF	B-2	20
29	S-33218	Lorraine Walnut	VR	A-2	8	68	S-33970	Columbia Walnut	SF	B-2	17
30	S-33218	Lorraine Walnut	SF	A-2	15	69	S-34030	Ice Teak	SF	A-4	14
31	S-33221	Classic Planked Walnut	VNR	B-1	10	70	S-35014	Tekan Wood Dark	SF	B-2	14
32	S-33221	Classic Planked Walnut	SF	C-1	15	71	S-35015	Tekan Wood Light	SF	A-2	14
33	S-33224	Turkish Oak	SF	A-2	16	72	S-35183	Core Ash	SF	A-3	18
34	S-33225	Princess Wood	NVZ	B-1	11	73	S-35191	Natural Walnut	CNT	B-2	8
35	S-33225	Princess Wood	SF	B-3	17	74	S-35191	Natural Walnut	SF	A-2	17
36	S-33261	Classic Wenge	HGL	B-1	6	75	S-37015	Nomada Walnut	SF	A-3	14
37	S-33261	Classic Wenge	SF	A-2	18	76	S-37020	Colorado Wood	SF	B-3	14
38	S-33288	Wild Walnut	SF	A-1	15	77	S-39031	Silver Metal	SF	A-1	5
39	S-33301	Summer Ash	SF	A-4	18	78	S-39034	Gold Metal	SF	B-2	5

TECHNICAL DATA

FEATURES:

A Complete Dimensionally Stable product with the unique resistance power against

- Surface Wear
- Any kind of Stain
- Immersion in Boiling Water
- Scratching
- Cigarette Burns
- Guaranteed Thickness
- High Quality Back Sanding with German Technology
- The Sample shown in the Shade Chart are only indicative of the color patterns and shades available
- Best Mica warrants that all its products are free from manufacturing defects and perfectly fit for use under normal conditions. In case of any claims, the liability of the Company is however limited to the cost of the products only.

PROPERTIES	SPECIFIED VALUES AS PER IS: 2046-1995		CONFIRMS
Thickness	0.6mm (± 10%)	0.9mm (± 10%)	✓
Resistance to surface wear	>350 (revolution)	>350 (revolution)	✓
Resistance to immersion in boiling water			
- Mass increase (%)	10.0 Max.	10.0 Max.	✓
- Thickness increase (%)	11.8 Max.	11.8 Max.	✓
Resistance to dry heat 180° c	Not worse than 4	Not worse than 4	
Dimensional stability at deviated temperature			
- Longitudinal (%)	0.5 Max.	0.5 Max.	✓
- Transverse (%)	0.9 Max.	0.9 Max.	✓
Dimensional stability at 20° c deviated temperature			
- Longitudinal (%)	0.375 Max.	0.375 Max.	✓
- Transverse (%)	0.60 Max.	0.60 Max.	✓
Resistance to impact by small diameter ball	20N Min.	20N Min.	✓
Resistance to cracking	Not worse than 4	Not worse than 4	✓
Resistance to scratching	2N Min.	2N Min.	✓
Resistance to staining	Not worse than 5	Not worse than 5	✓
Resistance to color change (wool standards)			
- In xenon arc light	Not worse than 6	Not worse than 6	✓
- In enclosed Carbon arc light	Not worse than 5	Not worse than 5	✓
Resistance to cigarette burns	Not worse than 3	Not worse than 3	✓
Resistance to steam	Not worse than 4	Not worse than 4	✓
Appearance	Should be free from foreign particles	Should be free from foreign particles	✓



PRODUCT SPECIFICATION:

- Product** : High Pressure Decorative Laminated Sheets.
- Size** : 2440 x 1220mm
- Thickness** : 0.9mm and 0.6mm
- Finish** : AFM, HGL, BRUSHED METAL, LMT, VR, OKZ, VNR, CNT, ARW, NVZ, PT, ST, SUEDE Finish.
- Maintenance** : Clean with mild soap solution or house hold detergent, abrasive cleaners should not be used, it is recommended for vertical use only. Avoid direct sunlight.
- Resistance** : To surface wear, immersion in boiling water, dry heat, impact by small dia. Ball, cigarette burns, staining, scratching, color change in xenon light.